



LEXCOR SAFETY DATA SHEET

DATE PREPARED: 06/12/2023

SECTION 1 - PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME

LEXTAPE SA
(Sanded Self-AdheredTape)

SUPPLIER NAME AND ADDRESS

*Lexsucu 2010 Corporation
3275 Orlando Dr.
Mississauga, ON, L4V 1C5
Tel: 905.792.8300
Fax:905.792.8305*

EMERGENCY TELEPHONE NUMBER:

*Chemtrec: 800.424.9300
Chemtrec: 703.527.3887
Canutec: 613.966.6666*

Prepared By: Lexsucu 2010 Corporation

Recommended use of the chemical and restrictions on use

Recommended Use: Waterproofing Sealers
Uses advised against: No information available

SECTION 2 - HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use. This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

Not classified

Hazard statements

None

Appearance

Solid sheet

Physical state

Solid

Odor

Slight

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity

35.64268897% of the mixture consists of ingredient(s) of unknown toxicity

SECTION 3 - INFORMATION ON INGREDIENTS**Substance**

Not applicable

Mixture

This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

Chemical Name	CAS No	Weight-%
Asphalt *	8052-42-4	30 - 60
Limestone *	1317-65-3	15 - 40
Polymer Blend *	Proprietary	3 - 7
Distillates, petroleum, hydrotreated heavy naphthenic *	64742-52-5	1 - 5

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

SECTION 4 - FIRST AID MEASURES**Description of first aid measures****General advice**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.

Eye contact

Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing before reuse.

Inhalation

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.

Ingestion

Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Rinse mouth. Never give anything by mouth to an unconscious person.

Self-protection of the first aider

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed**Symptoms**

None known.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO₂, sand, earth, water spray or regular foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required.

Environmental precautions

Environmental precautions

Collect spillage. Dispose of contents/container to an approved waste disposal plant.

Methods and material for containment and cleaning up

Methods for containment

No information available.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

SECTION 7 - HANDLING & STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

SECTION 8 - EXPOSURE CONTROL & PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Asphalt 8052-42-4	TWA: 0.5 mg/m ³ benzene soluble aerosol fume, inhalable fraction	-	Ceiling: 5 mg/m ³ fume 15 min
Limestone 1317-65-3	-	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Solid

Appearance

Solid sheet

Color

Multiple Colors

Odor

Slight

Odor threshold

No information available

Property	Values	Remarks • Method
pH:	Not applicable	-
Melting point / freezing point:	No information available	-
Boiling point / boiling range:	No information available	-
Flash point:	No information available	-
Evaporation rate:	No information available	Not applicable
Flammability (solid, gas):	No information available	-
Flammability Limit in Air: Upper flammability limit: Lower flammability limit:	No information available No information available	
Vapor pressure:	0	-
Vapor density:	No information available	-
Relative density:	>1	-
Water solubility:	Insoluble in water	-

Solubility in other solvents:	No information available	-
Partition coefficient:	No information available	-
Autoignition temperature:	>260°C / >500°F	-
Decomposition temperature:	No information available	-
Kinematic viscosity:	No information available	Not applicable
Dynamic viscosity:	No information available	Not applicable
Explosive properties:	Not an explosive	-
Oxidizing properties:	Not applicable	-

Other Information

Softening point

No information available

Molecular weight

No information available

VOC Content (%)

No information available

Density

No information available

Bulk density

No information available

SECTION 10 - STABILITY & REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Storage near to reactive materials. elevated temperature.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

None known.

Eye contact

None known.

Skin contact

None known.

Ingestion

No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Asphalt 8052-42-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt 8052-42-4	-	Group 2B	-	X
Polymer Blend	-	Group 3	-	-
Distillates, petroleum, hydrotreated heavy naphthenic 64742-52-5	A2	Group 1	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Target Organ Effects

Eyes, Respiratory system, Skin.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)

5,012.00

ATEmix (dermal)

2,005.00

ATEmix (inhalation-dust/mist)

42.18

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity

None known

100 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
Asphalt 8052-42-4	6

Other adverse effects

No information available

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

SECTION 14 - TRANSPORT INFORMATION

DOT

Not regulated

TDG

Not regulated

IATA

Not regulated

IMDG

Not regulated

SECTION 15 - REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL/NDSL

Complies

EINECS/ELINCS

Complies

ENCS

Complies

IECSC

Complies

KECL

Complies

PICCS

Complies

AICS

Complies

Legend:

TSCA

United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL

Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS

European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS

Japan Existing and New Chemical Substances

IECSC

China Inventory of Existing Chemical Substances

KECL

Korean Existing and Evaluated Chemical Substances

PICCS

Philippines Inventory of Chemicals and Chemical Substances

AICS

Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories**Acute health hazard**

No

Chronic Health Hazard

No

Fire hazard

No

Sudden release of pressure hazard

No

Reactive Hazard

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Asphalt 8052-42-4	X	X	X
Limestone 1317-65-3	X	X	X
Quartz 14808-60-7	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number

Not applicable

SECTION 16 - OTHER INFORMATION

NFPA

Health hazards: 0

Flammability: 1

Instability: 0

Physical and Chemical Properties: -

HMIS

Health hazards: 0

Flammability: 1

Physical hazards: 0

Personal protection: x

Issue Date

16-Jan-2016

Revision Date

16-Jan-2016

Revision Note

No information available

Disclaimer

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Lexsuco Corporation makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Lexsuco Corporation or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

Prepared By: Lexsuco 2010 Corporation